ELSEVIER

Analytica Chimica Acta 544 (2005) 346–348

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Aaljoki, K., see Reinikainen, S.-P. 2
Aires-de-Sousa, J., see Caetano, S. 315
Aldama, J.M., see García, I. 26
Alves, A., see Rodrigues, J.C. 213
Amaral, A.L.
— and Ferreira, E.C.
Activated sludge monitoring of a wastewater treatment plant using image analysis and partial least squares regression 246
Angélico, D., see Costa, R. 139
Ataíde, J.M., see Costa, R. 139

Belchamber, R., see Flåten, G.R. 280
Blanco, M.
—, Peinado, A.C. and Mas, J.
Elucidating the composition profiles of alcoholic fermentations by use of ALS methodology 199
Boilet, L., see Ruckebusch, C. 337
Booksh, K.S., see Dable, B.K. 71
Boqué, R., see Guimet, F. 143
Borges, A.
—, Tauler, R. and de Juan, A.
Application of multivariate curve resolution to the temperature-induced unfolding of α-chymotrypsin 159
Borges, C.N., see Bortoloti, J.A. 206
Bortoloti, J.A.
—, Borges, C.N. and Bruns, R.E.
Split-plot designs and normal probability graphs for the optimization of chemical systems 206
Bruns, R.E., see Bortoloti, J.A. 206
Buydens, L.
— and de Juan, A.
Editorial CAC 2004 1
Buydens, L.M.C., see Szabo de Edelenyi, F. 36
Buydens, L.M.C., see Üstün, B. 292

Caetano, S.
—, Aires-de-Sousa, J., Daszykowski, M. and Heyden, Y.V.
Prediction of enantioselectivity using chirality codes and Classification and Regression Trees 315
Caudron, A., see Ruckebusch, C. 337
Cocchi, M.
—, Corbellini, M., Foca, G., Lucisano, M., Pagani, M.A., Tassi, L. and Ulrici, A.
Classification of bread wheat flours in different quality categories by a wavelet-based feature selection/classification algorithm on NIR spectra 100
Collins, M., see Flåten, G.R. 280
Corbellini, M., see Cocchi, M. 100
Cornard, J.P., see Ruckebusch, C. 337
Costa, R.
—, Angélico, D., Reis, M.S., Ataíde, J.M. and Saraiva, P.M.
Paper superficial waviness: Conception and implementation of an industrial statistical measurement system 139

Czarnik-Matusewicz, B.
—, Pilorz, S. and Hawranek, J.P.
Temperature-dependent water structural transitions examined by near-IR and mid-IR spectra analyzed by multivariate curve resolution and two-dimensional correlation spectroscopy 15

da Costa Filho, P.A.
— and Volery, P.
Broad-based versus specific NIRS calibration: Determination of total solids in fresh cheese 82
da Fonseca, M.M.R., see Rodrigues, J.C. 213
Dable, B.K.
—, Marquardt, B.J. and Booksh, K.S.
Rapid multivariate curve resolution applied to near real-time process monitoring with HPLC/Raman data 71
Daeyaert, F., see Zhang, M.H. 167
Daszykowski, M., see Caetano, S. 315
de B. Harrington, P.
—, Vieira, N.E., Espinoza, J., Nien, J.K., Romero, R. and Yergey, A.L.
Analysis of variance–principal component analysis: A soft tool for proteomic discovery 118
de Juan, A., see Borges, A. 159
de Juan, A., see Buydens, L. 1
de Juan, A., see Ruckebusch, C. 337
Dejaegher, B.
—, Smeyers-Verbeke, J. and Heyden, Y.V.
The variance of screening and supersaturated design results as a measure for method robustness 268
Dolezel-Horwath, E.
—, Hutter, T., Kessler, R. and Wimmer, R.
Feedback and feedforward control of wet-processed hardboard production using spectroscopy and chemometric modelling 47
Duponchel, L., see Ruckebusch, C. 337

Engelen, S.
— and Hubert, M.
Fast model selection for robust calibration methods 219
Espinoza, J., see de B. Harrington, P. 118
Esteban-Díez, I.
—, González-Sáiz, J.M. and Pizarro, C.
Generalization of OWAVEC method for simultaneous noise suppression, data compression and orthogonal signal correction 89
Esteves da Silva, J.C.G., see Pinheiro, P.B.M. 229

Ferré, J., see Guimet, F. 143
Ferreira, E.C., see Amaral, A.L. 246
Ferreira-Dias, S., see Rodrigues, J.C. 213
Flåten, G.R.
—, Belchamber, R., Collins, M. and Walmsley, A.D.
Caterpillar—an adaptive algorithm for detecting process changes from acoustic emission signals 280
Foca, G., see Cocchi, M. 100

doi:10.1016/S0003-2670(05)00970-0

ELSEVIER

Analytica Chimica Acta 544 (2005) 346–348

ANALYTICA CHIMICA ACTA

www.elsevier.com/locate/aca

Author index

Aaljoki, K., see Reinikainen, S.-P. 2
Aires-de-Sousa, J., see Caetano, S. 315
Aldama, J.M., see García, I. 26
Alves, A., see Rodrigues, J.C. 213
Amaral, A.L.
— and Ferreira, E.C.
Activated sludge monitoring of a wastewater treatment plant using image analysis and partial least squares regression 246
Angélico, D., see Costa, R. 139
Ataíde, J.M., see Costa, R. 139

Belchamber, R., see Flåten, G.R. 280
Blanco, M.
—, Peinado, A.C. and Mas, J.
Elucidating the composition profiles of alcoholic fermentations by use of ALS methodology 199
Boilet, L., see Ruckebusch, C. 337
Booksh, K.S., see Dable, B.K. 71
Boqué, R., see Guimet, F. 143
Borges, A.
—, Tauler, R. and de Juan, A.
Application of multivariate curve resolution to the temperature-induced unfolding of α-chymotrypsin 159
Borges, C.N., see Bortoloti, J.A. 206
Bortoloti, J.A.
—, Borges, C.N. and Bruns, R.E.
Split-plot designs and normal probability graphs for the optimization of chemical systems 206
Bruns, R.E., see Bortoloti, J.A. 206
Buydens, L.
— and de Juan, A.
Editorial CAC 2004 1
Buydens, L.M.C., see Szabo de Edelenyi, F. 36
Buydens, L.M.C., see Üstün, B. 292

Caetano, S.
—, Aires-de-Sousa, J., Daszykowski, M. and Heyden, Y.V.
Prediction of enantioselectivity using chirality codes and Classification and Regression Trees 315
Caudron, A., see Ruckebusch, C. 337
Cocchi, M.
—, Corbellini, M., Foca, G., Lucisano, M., Pagani, M.A., Tassi, L. and Ulrici, A.
Classification of bread wheat flours in different quality categories by a wavelet-based feature selection/classification algorithm on NIR spectra 100
Collins, M., see Flåten, G.R. 280
Corbellini, M., see Cocchi, M. 100
Cornard, J.P., see Ruckebusch, C. 337
Costa, R.
—, Angélico, D., Reis, M.S., Ataíde, J.M. and Saraiva, P.M.
Paper superficial waviness: Conception and implementation of an industrial statistical measurement system 139

Czarnik-Matusewicz, B.
—, Pilorz, S. and Hawranek, J.P.
Temperature-dependent water structural transitions examined by near-IR and mid-IR spectra analyzed by multivariate curve resolution and two-dimensional correlation spectroscopy 15

da Costa Filho, P.A.
— and Volery, P.
Broad-based versus specific NIRS calibration: Determination of total solids in fresh cheese 82
da Fonseca, M.M.R., see Rodrigues, J.C. 213
Dable, B.K.
—, Marquardt, B.J. and Booksh, K.S.
Rapid multivariate curve resolution applied to near real-time process monitoring with HPLC/Raman data 71
Daeyaert, F., see Zhang, M.H. 167
Daszykowski, M., see Caetano, S. 315
de B. Harrington, P.
—, Vieira, N.E., Espinoza, J., Nien, J.K., Romero, R. and Yergey, A.L.
Analysis of variance–principal component analysis: A soft tool for proteomic discovery 118
de Juan, A., see Borges, A. 159
de Juan, A., see Buydens, L. 1
de Juan, A., see Ruckebusch, C. 337
Dejaegher, B.
—, Smeyers-Verbeke, J. and Heyden, Y.V.
The variance of screening and supersaturated design results as a measure for method robustness 268
Dolezel-Horwath, E.
—, Hutter, T., Kessler, R. and Wimmer, R.
Feedback and feedforward control of wet-processed hardboard production using spectroscopy and chemometric modelling 47
Duponchel, L., see Ruckebusch, C. 337

Engelen, S.
— and Hubert, M.
Fast model selection for robust calibration methods 219
Espinoza, J., see de B. Harrington, P. 118
Esteban-Díez, I.
—, González-Sáiz, J.M. and Pizarro, C.
Generalization of OWAVEC method for simultaneous noise suppression, data compression and orthogonal signal correction 89
Esteves da Silva, J.C.G., see Pinheiro, P.B.M. 229

Ferré, J., see Guimet, F. 143
Ferreira, E.C., see Amaral, A.L. 246
Ferreira-Dias, S., see Rodrigues, J.C. 213
Flåten, G.R.
—, Belchamber, R., Collins, M. and Walmsley, A.D.
Caterpillar—an adaptive algorithm for detecting process changes from acoustic emission signals 280
Foca, G., see Cocchi, M. 100

doi:10.1016/S0003-2670(05)00970-0

Friedl, A.
—, Padouvas, E., Rotter, H. and Varmuza, K.
Prediction of heating values of biomass fuel from elemental composition 191

García, I.
—, Sarabia, L.A., Ortiz, M.C. and Aldama, J.M.
Optimization of the chromatographic conditions for the determination of hormones by gas chromatography with mass spectrometry detection 26
Geladi, P., see Lillhonga, T. 177
Giménez, D.
—, Sarabia, L. and Ortiz, M.C.
The maintenance of a PARAFAC calibration and the second-order property: application to the determination of ciprofloxacin in presence of enrofloxacin by excitation–emission fluorescence 327
González-Sáiz, J.M., see Esteban-Díez, I. 89
Goupy, J.
—
What kind of experimental design for finding and checking robustness of analytical methods? 184
Guimet, F.
—, Ferré, J. and Boqué, R.
Rapid detection of olive–pomace oil adulteration in extra virgin olive oils from the protected denomination of origin "Siurana" using excitation–emission fluorescence spectroscopy and three-way methods of analysis 143
Gusmão, J.H., see Rodrigues, J.C. 213

Häkkinen, A., see Pöllänen, K. 108
Hawranek, J.P., see Czarnik-Matusewicz, B. 15
Heyden, Y.V., see Caetano, S. 315
Heyden, Y.V., see Dejaegher, B. 268
Hiltunen, T., see Raatikainen, O. 128
Höskuldsson, A., see Reinikainen, S.-P. 2
Hubert, M., see Engelen, S. 219
Huhtanen, M., see Pöllänen, K. 108
Huo, R., see Szabo de Edelenyi, F. 36
Hutter, T., see Dolezel-Horwath, E. 47
Huvenne, J.P., see Ruckebusch, C. 337
Hyvönen, P., see Raatikainen, O. 128

Karjalainen, M., see Pöllänen, K. 108
Kessler, R., see Dolezel-Horwath, E. 47

Lewi, P.J., see Zhang, M.H. 167
Lillhonga, T.
— and Geladi, P.
Replicate analysis and outlier detection in multivariate NIR calibration, illustrated with biofuel analysis 177
Lletí, R., see Sánchez, M.S. 236
Lletí, R.
—, Meléndez, E., Ortiz, M.C., Sarabia, L.A. and Sánchez, M.S.
Outliers in partial least squares regression. Application to calibration of wine grade with mean infrared data 60
Louhi-Kultanen, M., see Pöllänen, K. 108
Lucisano, M., see Cocchi, M. 100

Magrì, A.L., see Marini, F. 306
Marini, F.
—, Zupan, J. and Magrì, A.L.
Class-modeling using Kohonen artificial neural networks 306
Markovsky, I., see Schuermans, M. 254
Marquardt, B.J., see Dable, B.K. 71
Mas, J., see Blanco, M. 199
Massart, D.L., see Zhang, M.H. 167
Meléndez, E., see Lletí, R. 60
Melssen, W.J., see Üstün, B. 292
Merlin, J.C., see Ruckebusch, C. 337
Minkkinen, P., see Raatikainen, O. 128
Muje, P., see Raatikainen, O. 128

Nascimento, A.C., see Rodrigues, J.C. 213
Nien, J.K., see de B. Harrington, P. 118
Nyström, L., see Pöllänen, K. 108

Ortiz, M.C., see García, I. 26
Ortiz, M.C., see Giménez, D. 327
Ortiz, M.C., see Lletí, R. 60
Ortiz, M.C., see Sánchez, M.S. 236
Osório, N.M., see Rodrigues, J.C. 213
Oudenhuijzen, M., see Üstün, B. 292

Padouvas, E., see Friedl, A. 191
Pagani, M.A., see Cocchi, M. 100
Peinado, A.C., see Blanco, M. 199
Pilorz, S., see Czarnik-Matusewicz, B. 15
Pinheiro, P.B.M.
— and Esteves da Silva, J.C.G.
Chemometric classification of olives from three Portuguese cultivars of *Olea europaea* L. 229
Pires, A.S., see Rodrigues, J.C. 213
Pizarro, C., see Esteban-Díez, I. 89
Pöllänen, K.
—, Häkkinen, A., Huhtanen, M., Reinikainen, S.-P., Karjalainen, M., Rantanen, J., Louhi-Kultanen, M. and Nyström, L.
DRIFT-IR for quantitative characterization of polymorphic composition of sulfathiazole 108
Postma, G., see Szabo de Edelenyi, F. 36
Pursiainen, J., see Raatikainen, O. 128

Raatikainen, O.
—, Reinikainen, V., Minkkinen, P., Ritvanen, T., Muje, P., Pursiainen, J., Hiltunen, T., Hyvönen, P., von Wright, A. and Reinikainen, S.-P.
Multivariate modelling of fish freshness index based on ion mobility spectrometry measurements 128
Rantanen, J., see Pöllänen, K. 108
Reinikainen, S.-P., see Pöllänen, K. 108
Reinikainen, S.-P., see Raatikainen, O. 128
Reinikainen, S.-P.
—, Aaljoki, K. and Höskuldsson, A.
Analysis of linear dynamic systems of low rank 2
Reinikainen, V., see Raatikainen, O. 128
Reis, M.S., see Costa, R. 139
Ritvanen, T., see Raatikainen, O. 128
Rodrigues, J.C.
—, Nascimento, A.C., Alves, A., Osório, N.M., Pires, A.S., Gusmão, J.H., da Fonseca, M.M.R. and Ferreira-Dias, S.
Calibration of near infrared spectroscopy for solid fat content of fat blends analysis using nuclear magnetic resonance data 213
Romero, R., see de B. Harrington, P. 118
Rotter, H., see Friedl, A. 191
Ruckebusch, C.
—, Duponchel, L., Huvenne, J.P., Caudron, A., Boilet, L., Cornard, J.P., Merlin, J.C. and de Juan, A.
Chemometric strategies for the study of the complexation of Al(III) ions with model molecule of humic substances from UV–vis data sets 337

Sánchez, M.S., see Lletí, R. 60
Sánchez, M.S.
—, Ortiz, M.C., Sarabia, L.A. and Lletí, R.
On Pareto-optimal fronts for deciding about sensitivity and specificity in class-modelling problems 236
Sarabia, L., see Giménez, D. 327

Sarabia, L.A., see García, I. 26
Sarabia, L.A., see Lletí, R. 60
Sarabia, L.A., see Sánchez, M.S. 236
Saraiva, P.M., see Costa, R. 139
Schuermans, M.
—, Markovsky, I., Wentzell, P.D. and Van Huffel, S.
On the equivalence between total least squares and maximum likelihood PCA 254
Serneels, S.
— and Van Espen, P.J.
Bootstrap confidence intervals for trilinear partial least squares regression 153
Simonetti, A.W., see Szabo de Edelenyi, F. 36
Smeyers-Verbeke, J., see Dejaegher, B. 268
Szabo de Edelenyi, F.
—, Simonetti, A.W., Postma, G., Huo, R. and Buydens, L.M.C.
Application of independent component analysis to ^{1}H MR spectroscopic imaging exams of brain tumours 36

Tassi, L., see Cocchi, M. 100
Tauler, R., see Borges, A. 159

Ulrici, A., see Cocchi, M. 100
Üstün, B.
—, Melssen, W.J., Oudenhuijzen, M. and Buydens, L.M.C.
Determination of optimal support vector regression parameters by genetic algorithms and simplex optimization 292

Van Espen, P.J., see Serneels, S. 153
Van Huffel, S., see Schuermans, M. 254
Varmuza, K., see Friedl, A. 191
Vieira, N.E., see de B. Harrington, P. 118
Volery, P., see da Costa Filho, P.A. 82
von Wright, A., see Raatikainen, O. 128

Walmsley, A.D., see Flåten, G.R. 280
Wentzell, P.D., see Schuermans, M. 254
Wimmer, R., see Dolezel-Horwath, E. 47

Xu, Q.S., see Zhang, M.H. 167

Yergey, A.L., see de B. Harrington, P. 118

Zhang, M.H.
—, Xu, Q.S., Daeyaert, F., Lewi, P.J. and Massart, D.L.
Application of boosting to classification problems in chemometrics 167
Zupan, J., see Marini, F. 306